



Introduction to perfSONAR for NSF CC-NIE Awardees

Jason Zurawski

Eli Dart

Mary Hester

Lauren Rotman

Brian Tierney

ESnet Engineering & Outreach

CC-NIE Webinar June 4th & 24th, 2013









Agenda

- Introduction and Purpose
- Science DMZ Overview
- Why Network Performance Matters
- Motivations & Technologies
- Hardware & Deployment Options
- End Results & Debugging
- Conclusions



2 - ESnet ENGAGE (engage@es.net) - 6/5/13



Introduction & Purpose

- The "<u>Campus Cyberinfrastructure Network Infrastructure and Engineering</u> (<u>CC-NIE</u>)" program:
 - Invests in improvements and re-engineering at the campus level to support a range of data transfers supporting computational science and computer networks and systems research
 - Supports Network Integration activities tied to achieving higher levels of performance, reliability and predictability for science applications and distributed research projects
- The bolded items can be tricky: this talk will introduce some broad concepts that will help:
 - Capable network architectures
 - Advanced data movement tools and procedures
 - Federated End-to-End monitoring
 - We will not be digging too deep technically those topics will be explored at a later date (with perhaps a different crowd) if there is interest.

3 - ESnet ENGAGE (engage@es.net) - 6/5/13

NSF 13-530: http://www.nsf.gov/pubs/2013/nsf13530/nsf13530.htm

U.S. Department of Energy | Office of Science

NSIDE ESnet

Big Data

- Genomics
 - Sequencer data volume increasing 12x over the next 3 years
 - Sequencer cost decreasing by 10x over same time period
- High Energy Physics
 - LHC experiments produce & distribute petabytes of data/year
 - Peak data rates increase 3-5x over 5 years
- Light Sources
 - Many detectors on a Moore's Law curve



© Owen Humphreys/National Geographic Traveler Photo Contest 2013

Data volumes rendering previous operational models obsolete

Common Threads

- Increased capability, greater need for data mobility due to span/depth of collaboration space
- Global is the new local. Research is no longer done within a domain. End to end involves many fieldoms to cross and yes this becomes **your** problem when **your** users are impacted

^{4 -} ESnet ENGAGE (engage@es.net) - 6/5/13



Big Data (~100 PB for 2013)



5 - ESnet ENGAGE (engage@es.net) - 6/5/13

The Risks of Change

"In any large system, there is always something broken."

Jon Postel

- Many will encounter unforeseen (and therefore challenging) situations:
 - Upgrading networks breaks them (loss of configuration, etc.)
 - Synergy between the new and the old
 - New use-cases and users
- Mitigating the risk can be done in a number of ways:
 - Analysis and alteration to architecture
 - Careful thought to security/data policies in target areas
 - Integration of software designed to exercise the network, and alert/visualize
- Proactive vs. Reactive Stance: measure twice on engineering design of the network, cut once in the implementation

6 - ESnet ENGAGE (engage@es.net) - 6/5/13

perfS

NAR

powered

Lawrence Berkeley National Laboratory





© Dog Shaming 2012



Agenda

- Introduction and Purpose
- Science DMZ Overview
- Why Network Performance Matters
- Motivations & Technologies
- Hardware & Deployment Options
- End Results & Debugging
- Conclusions



7 - ESnet ENGAGE (engage@es.net) - 6/5/13



Science DMZ Overview

- ESnet has a lot of experience with different scientific communities at multiple data scales
- Significant commonality in the issues encountered, and solution set
 - The causes of poor data transfer performance fit into a few categories with similar solutions
 - Un-tuned/under-powered hosts
 - Packet loss issues
 - Security devices
 - A successful model has emerged the Science DMZ
 - This model successfully in use by CMS/ATLAS, ESG, NERSC, ORNL, ALS, and others
- The Science DMZ is a *blueprint* for network design.
 - Not all implementations look the same, but share common features
- Some choices don't make sense for everyone, caveat emptor

^{8 -} ESnet ENGAGE (engage@es.net) - 6/5/13



Why Network Performance Matters



The Science DMZ in 1 Slide

Consists of three key components, all required:

"Friction free" network path

- Highly capable network devices (wire-speed, deep queues)
- Virtual circuit connectivity option
- Security policy and enforcement specific to science workflows
- Located at or near site perimeter if possible

Dedicated, high-performance Data Transfer Nodes (DTNs)

- Hardware, operating system, libraries all optimized for transfer
- Includes optimized data transfer tools such as Globus Online and GridFTP

Performance measurement/test node

perfSONAR

Details at http://fasterdata.es.net/science-dmz/



10 - ESnet ENGAGE (engage@es.net) - 6/5/13









Science DMZ – Simple Abstract Cartoon





U.S. Department of Energy | Office of Science



Science DMZ Takes Many Forms

There are many ways to combine the Science DMZ elements – it all depends on what you need to do

- Small installation for a project or two
- Facility inside a larger institution
- Institutional capability serving multiple departments/divisions
- Science capability that consumes a majority of the infrastructure

Some of these are straightforward, others are less obvious

- Science DMZ model used to support research
 - The network is both the environment and the subject of research
 - Science DMZ is a good fit for several reasons
 - Isolate research from production when research is in the unstable phase
 - Separation of administrative control
 - Some research projects need high-performance end to end networking, but are not network research
 - HEP/LHC, Astronomy, "Big Data," etc.
 - The Science DMZ is production cyberinfrastructure
- Ideally, both network research and production data-intensive science could coexist

12 - ESnet ENGAGE (engage@es.net) - 6/5/13







End Game – Enabling Data Intensive Science

Using the right tool is very important

Sample Results: Berkeley, CA to Argonne, IL (near Chicago). RTT = 53 ms, network capacity = 10Gbps.

Tool Thr	Throughput				
scp:	140 Mbps				
HPN patched scp:	1.2 Gbps				
ftp	1.4 Gbps				
GridFTP, 4 streams	5.4 Gbps				
GridFTP, 8 streams	6.6 Gbps				

Note that to get more than 1 Gbps (125 MB/s) disk to disk requires RAID.

15 - ESnet ENGAGE (engage@es.net) - 6/5/13

perfSONAR

powered

It should be trivial for all researchers to: Collect, Move, Sync, Share, Analyze, Annotate, Publish, Search, Backup, & Archive BIG DATA ... but without proper kit it's very challenging

Globus Online uses SaaS approaches to address this challenge and make advanced research data management capabilities broadly accessible using just a Web browser





One motivation for Science DMZ model: Soft Network Failures



Soft failures are where basic connectivity functions, but high performance is not possible.

- TCP was intentionally designed to hide all transmission errors from the user:
 - "As long as the TCPs continue to function properly and the internet system does not become completely partitioned, no transmission errors will affect the users." (From IEN 129, RFC 716)

Some soft failures only affect high bandwidth long RTT flows.

Hard failures are easy to detect & fix

• soft failures can lie hidden for years!

One network problem can often mask others

17 - ESnet ENGAGE (engage@es.net) - 6/5/13



Agenda

- Introduction and Purpose
- Science DMZ Overview
- Why Network Performance Matters
- Motivations & Technologies
- Hardware & Deployment Options
- End Results & Debugging
- Conclusions



18 - ESnet ENGAGE (engage@es.net) - 6/5/13



Time to Copy 1 Terabyte

10 Mbps network : 300 hrs (12.5 days)

100 Mbps network : 30 hrs

1 Gbps network : 3 hrs (are your disks fast enough?)

10 Gbps network : 20 minutes (need really fast disks and filesystem)

These figures assume some headroom left for other users

Compare these speeds to:

- USB 2.0 portable disk
 - 60 MB/sec (480 Mbps) peak
 - 20 MB/sec (160 Mbps) reported on line
 - 5-10 MB/sec reported by colleagues
 - 15-40 hours to load 1 Terabyte

19 - ESnet ENGAGE (engage@es.net) - 6/5/13

perfS **NAR**

Where Are The Problems?







Local Testing Will Not Find Everything



21 - ESnet ENGAGE (engage@es.net) - 6/5/13

Lawrence Berkeley National Laboratory

U.S. Department of Energy | Office of Science



What Monitoring Can (and Cannot) Tell You



Can you tell, by looking, what is going on here?

22 - ESnet ENGAGE (engage@es.net) - 6/5/13



Sample Soft Failures



Congestion on Link + Drifting Clock



perfSONAR One Way Latency

Scale Y axis from 0 🗹 Show Reverse Direction Data



nouis

Timezone: GMT+0800 (CST)

perfSNAR

24 - ESnet ENGAGE (engage@es.net) - 6/5/13

Adding Attenuator to Noisy Link





Scale Y axis from 0 🖉 Show Reverse Direction Data



<- 4 hours

Timezone: Standard Time)



25 - ESnet ENGAGE (engage@es.net) - 6/5/13

Firewall Example



Totally protected campus, with a border firewall



Performance Behind the Firewall



Blue = "Outbound", e.g. campus to remote location upload

Green = "Inbound", e.g. download from remote location



powered

27 - ESnet ENGAGE (engage@es.net) - 6/5/13

Performance In Front of the Firewall



Blue = "Outbound", e.g. campus to remote location upload

Green = "Inbound", e.g. download from remote location

Note – This machine is in the *SAME RACK*, it just bypasses the firewall vs. that of the previous



28 - ESnet ENGAGE (engage@es.net) - 6/5/13



Agenda

- Introduction and Purpose
- Science DMZ Overview
- Why Network Performance Matters
- Motivations & Technologies
- Hardware & Deployment Options
- End Results & Debugging
- Conclusions



29 - ESnet ENGAGE (engage@es.net) - 6/5/13



Motivations & Technologies

All the network diagrams have little perfSONAR boxes everywhere

- The reason for this is that consistent behavior requires correctness
- Correctness requires the ability to find and fix problems
 - You can't fix what you can't find
 - You can't find what you can't see
 - perfSONAR lets you see

Especially important when deploying new technologies like SDN

- If there is a problem with the SDN infrastructure, need to fix it
- If the problem is not with SDN, need to prove it
 - New technology is often assumed to be the source of problems
 - The only way to correctly attribute is to find the problem

30 - ESnet ENGAGE (engage@es.net) - 6/5/13

perfS

NAR

Perf-what?



Network Monitoring

- E.g. everyone has some form on their network (e.g.
 SNMP, NAGIOS, etc.). Addresses the needs of local staff for knowing what is going on
 - Would this information be useful to external users?
 - Are tools such as CACTI really able to function on a multidomain basis?
- Beyond passive methods, there are active tools.
 - E.g. Iperf can be run to get a 'throughput' number. Do we store these anywhere?
 - Wouldn't it be nice to get some sort of plot of performance over the course of a day? Week? Year? Multiple endpoints?

perfSONAR = Measurement Middleware

31 - ESnet ENGAGE (engage@es.net) - 6/5/13



What is perfSONAR?

perfSONAR is a tool to:

- Set network performance expectations
- Find network problems ("soft failures")
- Help fix these problems

All in multi-domain environments

• These problems are all harder when multiple networks are involved

perfSONAR is provides a standard way to publish active and passive monitoring data

 This data is interesting to network researchers as well as network operators

32 - ESnet ENGAGE (engage@es.net) - 6/5/13

powered

World-Wide perfSONAR-PS Deployments: 572 bwctl nodes, 552 owamp nodes as of Jun '13







perfSONAR-PS Software

perfSONAR-PS is an open source implementation of the perfSONAR measurement infrastructure and protocols

• written in the perl programming language

http://psps.perfsonar.net

All products are available as RPMs.

The perfSONAR-PS consortium supports CentOS (versions 5 and 6).

RPMs are compiled for i386 and x86 64

Functionality on other platforms and architectures is possible, but not supported.

- Should work: Red Hat Enterprise Linux and Scientific Linux (v5)
- Harder, but possible:
 - Fedora Linux, SuSE, Debian Variants



34 - ESnet ENGAGE (engage@es.net) - 6/5/13

Toolkit Display



💭 🎹 MLab 🗉 Apple Yal	100! Google Maps YouTube Wikipedia News (7937) 🔻 Popular 🛪		
	pS-Performance Node		
	P		
🖞 pS 🔪	Host Information		
e te elluit	Organization Name		
a tooikit	Host Location		
User Tools	Administrator Name		
Local Performance Services	Administrator Email		
Global Performance Services			
Java OWAMP Client	Communities This Host Participates In		
Reverse Traceroute			
Reverse Ping 🛃	Host Status		
	Primary Address npw.internet2.edu		
Service Graphs	Construct Official		
Throughput	Services Offered		
One-Way Latency	Bandwidth Test Controller (BWCTL)[1]	Running	
Head Ping Latency	e tro://now/internet2.edu/4822		
Red PC Ping Latency	 tcp://ipw.internet2.edu.4823 tcp://ipv6-annarbor-ofc.internet2.edu:4823 		
Green PC Ping Latency	 tcp://192.168.0.1:4823 		
Blue PC Ping Latency			
SNMP Utilization	Lookup Service ^[1]	Disabled	
Cacti Graphs 🚱	a http://www.interret2.adu/0005/acrfCONAD_D5/convices/bl.5		
	 http://npw.internet2.edu:9995/periSONAK_r5/serviceS/hLS http://ipv6-annarbor-ofc.internet2.edu:9995/nerfSONAR_PS/services/hLS 		
Performance Toolkit	 http://192.168.0.1:9995/perfSONAR_PS/services/hLS 		
Configuration Help			
Frequently Asked Questions 🔂	Network Diagnostic Tester (NDT) ^[1]	Running	
About 🚱			
Credits 🚱	 tcp://npw.internet2.edu;5001 http://npw.internet2.edu;7123 data 		
	 tcp://ipv6-annarbor-ofc.internet2.edu:3001 		
	 http://ipv6-annarbor-ofc.internet2.edu:7123 函 		
perio	tcp://192.168.0.1:3001		

35 - ESnet ENGAGE (engage@es.net) - 6/5/13

The Metrics



Use the correct tool for the Job

 To determine the correct tool, maybe we need to start with what we want to accomplish ...

What do we care about measuring?

- Packet Loss, Duplication, out-of-orderness (transport layer)
- Achievable Bandwidth (e.g. "Throughput")
- Latency (Round Trip and One Way)
- Jitter (Delay variation)
- Interface Utilization/Discards/Errors (network layer)
- Traveled Route
- MTU Feedback



36 - ESnet ENGAGE (engage@es.net) - 6/5/13

perfSONAR Dashboard (http://ps-dashboard.es.net)

perfS **O**NAR

powered



2: ESnet to ESnet Throughput Testing Dashboard

ESnet Hub to Large DOE Site Border Throughput Testing



US Deployment



Internet2

- 4 Machines in each PoP on the current network (2 x Throughput Test Machine, 1 User Test Machine, 1 Latency Test Machine)
- Plans for single server in all PoPs on new network
- Internal Testing (<u>http://owamp.net.internet2.edu</u>), and 100s of community initiated tests per week
- Central Netflow/SNMP Monitoring
- Assistance available <u>rs@internet2.edu</u>

ESnet

- 2 Machines in each PoP (Latency and Bandwidth Testing)
- Machines at Customer sites (e.g. federal labs and other scientific points of interest)
- Full mesh of testing (<u>http://stats.es.net</u>)
- Assistance available <u>trouble@es.net</u>

38 - ESnet ENGAGE (engage@es.net) - 6/5/13

US Regional Networks



	 Regionals with, or acquiring, perfSONAR: 	 Regionals with, or acquiring, perfSONAR (cont):
	• 3ROX	• WVNET
	ARE-ON	NJEDGE
	• CEN	• NOX
	• CENIC	• NYSERNET
	• CIC	• OneNet
	• FLR	Oregon GigaPoP
	• SOX	• PNWGP
	• FRGP	PeachNet
	• GPN	• UEN
	KanREN	• WiscNet
	• LEARN	Regionals with unsure status:
	• LONI	• ABQG
	• MAGPI	• C-Light
	• MARIA	Indiana GigaPoP
	• MAX	• IRON
	• MCNC	• KyRON
	• MERIT	• MDREN
	MissiON	Northern Lights
	MOREnet	• OARnet
perfS	ONAR MREN	• OSHEAN
	39 - ESnet ENGAGE (engage@es.net) - 6/5/13	N.B. These represent people I have talked with, if there are errors just let me know
	Lawrence Berkeley National Laboratory	U.S. Department of Energy Office of Science



Agenda

- Introduction and Purpose
- Science DMZ Overview
- Why Network Performance Matters
- Motivations & Technologies
- Hardware & Deployment Options
- End Results & Debugging
- Conclusions



40 - ESnet ENGAGE (engage@es.net) - 6/5/13



perfSONAR Deployment Locations

Critical to deploy such that you can test with useful semantics perfSONAR hosts allow parts of the path to be tested separately

- Reduced visibility for devices between perfSONAR hosts
- Rely on counters or other means where perfSONAR can't go

Effective test methodology derived from protocol behavior

- TCP suffers much more from packet loss as latency increases
- TCP is more likely to cause loss as latency increases
- Testing should leverage this in two ways
 - Design tests so that they are likely to fail if there is a problem
 - Mimic the behavior of production traffic as much as possible
- Note: don't design your tests to succeed it is *not* helpful

41 - ESnet ENGAGE (engage@es.net) - 6/5/13

Why Placement is Important



Placement of a tester should depend on two things:

- Where a tester will have the most positive of impacts for find/ preventing problems
- Where space/resources are available

We want to find certain sets of problems:

- Edge of your network to edge of your upstream provider
 - E.g. University to Regional
 - Regional to Backbone
- Core of your network to Edge of your network and upstream providers
 - Campus core facility to demarcation point
 - Campus core to ISP
- Location of important devices to remote facilities and points in between
 - Data centers to consumers of said data (e.g. campus to campus)
 - Data centers to ISP



42 - ESnet ENGAGE (engage@es.net) - 6/5/13





Importance of Regular Testing

You can't wait for users to report problems and then fix them (soft failures can go unreported for years!)

Things just break sometimes

- Failing optics
- Somebody messed around in a patch panel and kinked a fiber
- Hardware goes bad

Problems that get fixed have a way of coming back

- System defaults come back after hardware/software upgrades
- New employees may not know why the previous employee set things up a certain way and back out fixes

Important to continually collect, archive, and alert on active throughput test results

44 - ESnet ENGAGE (engage@es.net) - 6/5/13

powered



Develop a Plan

What are you going to measure?

- Achievable bandwidth
 - 2-3 regional destinations
 - 4-8 important collaborators
 - 4-10 times per day to each destination
 - 20 second tests within a region, longer across oceans and continents
- Loss/Availability/Latency
 - OWAMP: ~10 collaborators over diverse paths
 - PingER: use to monitor paths to collaborators who don't support owamp
- Interface Utilization & Errors

What are you going to do with the results?

- NAGIOS Alerts
- Reports to user community
- Post to Website



45 - ESnet ENGAGE (engage@es.net) - 6/5/13



ATLAS Dashboard

Status of perfSONAR Throughput Matrix

-	0	1	2	3	4	5	6	7	8
0:atlas-npt2.bu.edu	-	OK OK	ОК ОК	ОК ОК	ОК ОК	ОК ОК	<mark>UNKNOWN</mark> OK	ОК ОК	OK OK
1:lhcmon.bnl.gov	ОК ОК	-	ОК ОК	ОК ОК	ОК ОК	ОК ОК	ОК ОК	<mark>ok</mark> Unknown	OK OK
2:ps2.ochep.ou.edu	ОК ОК	OK VK	-	ОК ОК	ОК ОК	ОК ОК	<mark>ok</mark> Unknown	ОК ОК	OK OK
3:psmsu02.aglt2.org	<mark>ОК</mark> ОК	ОК ОК	<mark>ОК</mark> ОК	-	ОК ОК	<mark>ОК</mark> ОК	UNKNOWN UNKNOWN	ОК ОК	ОК ОК
4:netmon2.atlas- swt2.org	<mark>ok</mark> Unknown	UNKNOWN OK	<mark>ОК</mark> ОК	<mark>ОК</mark> ОК	-	<mark>ok</mark> Unknown	<mark>ok</mark> Unknown	ОК ОК	ОК ОК
5:iut2-net2.iu.edu	<mark>ОК</mark> ОК	<mark>ОК</mark> ОК	<mark>ОК</mark> ОК	<mark>ОК</mark> ОК	ОК ОК	-	ОК ОК	<mark>ОК</mark> ОК	OK OK
6:psnr- bw01.slac.stanford.edu	<mark>ok</mark> Unknown	ОК ОК	UNKNOWN OK	UNKNOWN UNKNOWN	UNKNOWN UNKNOWN	<mark>ОК</mark> ОК	-	<mark>ОК</mark> ОК	UNKNOWN UNKNOWN
7:uct2- net2.uchicago.edu	<mark>ОК</mark> ОК	ОК ОК	ОК ОК	ОК ОК	ОК ОК	ОК ОК	OK OK	-	OK OK
8:psum02.aglt2.org	<mark>ОК</mark> ОК	<mark>ОК</mark> ОК	<mark>ОК</mark> ОК	<mark>ОК</mark> ОК	<mark>ОК</mark> ОК	<mark>ОК</mark> ОК	UNKNOWN UNKNOWN	<mark>ОК</mark> ОК	-



46 - ESnet ENGAGE (engage@es.net) - 6/5/13



Host Considerations

http://psps.perfsonar.net/toolkit/hardware.html

Dedicated perfSONAR hardware is best

- Server class is a good choice
- Desktop/Laptop/Mini (Mac, Shuttle) can be problematic, but work in a diagnostic capacity

Other applications will perturb results

Separate hosts for throughput tests and latency/loss tests is preferred

- Throughput tests can cause increased latency and loss
- Latency tests on a throughput host are still useful however

1Gbps vs 10Gbps testers

• There are a number of problem that only show up at speeds above 1Gbps

Virtual Machines do not always work well as perfSONAR hosts (use specific)

- Clock sync issues are a bit of a factor
- throughput is reduced significantly for 10G hosts
- VM technology and motherboard technology has come a long way, YMMV

perfSONAR NDT/NAGIOS/SNMP/1G BWCTL are good choices for a VM, OWAMP/10G BWCTL are not

47 - ESnet ENGAGE (engage@es.net) - 6/5/13

powered



Agenda

- Introduction and Purpose
- Science DMZ Overview
- Why Network Performance Matters
- Motivations & Technologies
- Hardware & Deployment Options
- End Results & Debugging
- Conclusions



48 - ESnet ENGAGE (engage@es.net) - 6/5/13



Common Use Case

Trouble ticket comes in:

"I'm getting terrible performance from site A to site B"

If there is a perfSONAR node at each site border:

- Run tests between perfSONAR nodes
 - performance is often clean
- Run tests from end hosts to perfSONAR host at site border
 - Often find packet loss (using owamp tool)
 - If not, problem is often the host tuning or the disk

If there is not a perfSONAR node at each site border

- Try to get one deployed
- Run tests to other nearby perfSONAR nodes

49 - ESnet ENGAGE (engage@es.net) - 6/5/13

perfS

NAR

bowered



WAN Test Methodology – Problem Isolation *

Segment-to-segment testing is unlikely to be helpful

- TCP dynamics will be different
- Problem links can test clean over short distances
- This also goes for testing from a Science DMZ to the border router or first provider perfSONAR host

Run long-distance tests

- Run the longest clean test you can, then look for the shortest dirty test that includes the path of the clean test
- In many cases, there is a problem between the two remote test locations
- In order for this to work, the testers need to be already deployed when you start troubleshooting
 - ESnet has at least one perfSONAR host at each hub location. So does Internet2. So do many regionals.
 - If your provider does not have perfSONAR deployed ask them why, and then ask when they will have it done



50 - ESnet ENGAGE (engage@es.net) - 6/5/13

Wide Area Testing – Problem Statement





Wide Area Testing – Full Context





Wide Area Testing – Long Clean Test





53 - ESnet ENGAGE (engage@es.net) - 6/5/13

Wide Area Testing – Poorly Performing Test





54 - ESnet ENGAGE (engage@es.net) - 6/5/13



Lessons From The Test Case

This testing can be done quickly if perfSONAR is already deployed Huge productivity

- Reasonable hypothesis developed quickly
- Probable administrative domain identified
- Testing time can be short an hour or so at most

Without perfSONAR cases like this are very challenging

Time to resolution measured in months

In order to be useful for data-intensive science, the network must be fixable quickly, because it *will* break

The Science DMZ model allows high-performance use of the network, but perfSONAR is necessary to ensure the whole kit functions well



55 - ESnet ENGAGE (engage@es.net) - 6/5/13



Agenda

- Introduction and Purpose
- Science DMZ Overview
- Why Network Performance Matters
- Motivations & Technologies
- Hardware & Deployment Options
- End Results & Debugging
- Conclusions



56 - ESnet ENGAGE (engage@es.net) - 6/5/13



Conclusions

- Lots of information today:
 - Why performance matters
 - How to implement the network to ensure success
 - How to use software to guarantee it
- Next steps:
 - Growing community please join it!
 - Will other webinars make sense? Do your local tech folks want:
 - A more in depth (1 hr plus) tutorial on how to configure and interpret perfSONAR?
 - Installing and using Globus Online?
 - Others?

57 - ESnet ENGAGE (engage@es.net) - 6/5/13



perfSONAR Community

perfSONAR-PS is working to build a strong user community to support the use and development of the software.

perfSONAR-PS Mailing Lists

- Announcement List:
 - <u>https://mail.internet2.edu/wws/subrequest/perfsonar-ps-announce</u>
 - https://mail.internet2.edu/wws/subrequest/performance-node-announce
- Users List:
 - https://mail.internet2.edu/wws/subrequest/performance-node-users



58 - ESnet ENGAGE (engage@es.net) - 6/5/13

Science DMZ Community



In addition to perfSONAR, the Science DMZ community is growing as well. We would encourage everyone to join the conversation as you implement your networks:

• General Info:

- http://fasterdata.es.net/science-dmz/
- Mailing List
 - https://listserv.es.net/mailman/listinfo/sciencedmz
- Forums:
 - http://fasterdata.es.net/forums/



59 - ESnet ENGAGE (engage@es.net) - 6/5/13



http://fasterdata.es.net

ESnet maintains a "knowledge base" of tips and tricks for obtaining maximum WAN throughput

Lots of useful stuff there, including:

- TCP tuning information (in cut and paste friendly form)
- Data Transfer Node (DTN) tuning information
 - Also in cut and paste friendly form
- DTN reference designs
- Science DMZ information
- perfSONAR information



60 - ESnet ENGAGE (engage@es.net) - 6/5/13



200	
IN	SF
- A	

Introduction to perfSONAR for NSF CC-NIE Awardees

Thanks!

Jason Zurawski - <u>zurawski@es.net</u> Eli Dart - <u>dart@es.net</u> Mary Hester – <u>mhester@es.net</u> Lauren Rotman - <u>lauren@es.net</u> Brian Tierneney - <u>bltierney@es.net</u> <u>http://fasterdata.es.net</u>



